

APPENDIX I

Institutional Occupancies

I.1 HOW TO USE THIS APPENDIX

This appendix contains information related to institutional facilities classified as I occupancies.

In addition to the generic information listed in the “Requirements” section in Guideline E-01, the information in the “Plan Requirements” section of this appendix must be provided on your plan.

I.2 SCOPE

The OCFA conducts plan review of all I occupancies except for OSHPD-1/2/4/5 medical facilities and state and federal prisons.

I.3 PLAN REQUIREMENTS

I.3.1 I-2, I-2.1, I-3, AND AMBULATORY CARE FACILITIES – CBC Chapter 4 contains several sections with specific requirements for I occupancies. In addition to the usual requirements of CBC Chapters 3, 5, 9, and 10 that pertain to I occupancies, ensure that they also conform with the special requirements of the following sections:

- 1) CBC 407: Group I-2 and I-2.1
- 2) CBC 408: Group I-3
- 3) CBC 422: B and I-2.1 ambulatory care facilities

I.3.2 I-4: DAYCARE FACILITIES – Please see Appendix E for requirements related to I-4 facilities providing adult and child daycare services.

I.3.3 EGRESS

I.3.3.1 Egress analysis – Provide an egress analysis diagram for all I occupancies, except for I-4 daycares with more than 100 occupants.

I.3.3.2 Floor-level exit signs – In addition to overhead visual exit signs, floor level exit signs shall be provided in interior corridors of Group I-1, I-2, I-2.1, and I-4 occupancies, unless smoke barriers are provided